

Central Lancashire Online Knowledge (CLoK)

Title	An exploration of stroke survivors' perspectives on cycling and the use of electric bikes
Туре	Article
URL	https://clok.uclan.ac.uk/25921/
DOI	https://doi.org/10.3233/PPR-190133
Date	2019
Citation	Greenhalgh, Olivia, Mcmahon, Naoimh, Gaskins, Nicola, Khan, Amna, Frings, Matthew, Janssen, Jessica, Lightbody, Catherine Elizabeth, Weston, Richard, Fry, John et al (2019) An exploration of stroke survivors' perspectives on cycling and the use of electric bikes. Physiotherapy Practice and Research, 40 (2). pp. 117-126. ISSN 2213-0683
Creators	Greenhalgh, Olivia, Mcmahon, Naoimh, Gaskins, Nicola, Khan, Amna, Frings, Matthew, Janssen, Jessica, Lightbody, Catherine Elizabeth, Weston, Richard, Fry, John, Connell, Louise, Dooris, Mark T, Roddam, Hazel and Watkins, Caroline Leigh

It is advisable to refer to the publisher's version if you intend to cite from the work. https://doi.org/10.3233/PPR-190133

For information about Research at UCLan please go to http://www.uclan.ac.uk/research/

All outputs in CLoK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the http://clok.uclan.ac.uk/policies/

- 1 An exploration of stroke survivors' perspectives on cycling and the use of
- 2 electric bikes.
- 3 Olivia Greenhalgh^b, Naoimh E. McMahon^a, Nicola Gaskins^b, Amna Khan^a, Matthew Frings^a,
- 4 Jessie Janssen^{b*}, Elizabeth Lightbody^a, Richard Weston^c, John Fry^d, Louise Connell^b, Mark
- 5 Dooris^a, Hazel Roddam^b, Caroline Watkins^a
- 6 "School of Nursing, Faculty of Health and Wellbeing, University of Central Lancashire,
- 7 Preston, UK;
- 8 ^bAllied Health Unit, Faculty of Health and Wellbeing, University of Central Lancashire,
- 9 Preston, UK;
- 10 ^cInstitute of Transport & Tourism, University of Central Lancashire, Preston, UK;
- 11 ^dMyerscough College, Preston, UK;
- 13 Lancashire, Preston, UK.
- 14
- 15 *Corresponding author:
- 16 Jessie Janssen, Research Fellow (Physiotherapy),
- 17 Allied Health Research Unit,
- 18 School of Health Sciences,
- 19 Faculty of Health and Wellbeing,
- 20 University of Central Lancashire,
- 21 Preston,
- 22 PR1 2HE

23 jjanssen@uclan.ac.uk 24 01772 894560 25 26 Olivia Greenhalgh, Research Assistant 27 Allied Health Research Unit, 28 School of Health Sciences, 29 Faculty of Health and Wellbeing, 30 University of Central Lancashire, 31 Preston, 32 PR1 2HE 33 OGreenhalgh@uclan.ac.uk 34 01772 895579 35 Naoimh E. McMahon, Research Associate, 36 37 School of Nursing, 38 Faculty of Health and Wellbeing, 39 University of Central Lancashire, 40 Preston, 41 PR1 2HE 42 nmcmahon@uclan.ac.uk 43 01772 893654 44

Nicola Gaskins, Research Assistant,

- 46 Allied Health Research Unit,
- 47 School of Health Sciences,
- 48 Faculty of Health and Wellbeing,
- 49 University of Central Lancashire,
- 50 Preston,
- 51 PR1 2HE
- 52 <u>NGaskins@uclan.ac.uk</u>
- 53 01772 896329

54

- 55 Amna Khan, Research Assistant,
- 56 School of Nursing,
- 57 Faculty of Health and Wellbeing,
- 58 University of Central Lancashire,
- 59 Preston,
- 60 PR1 2HE
- 61 <u>akhan38@uclan.ac.uk</u>

- 63 Matthew Frings, Research Assistant,
- 64 School of Nursing,
- 65 Faculty of Health and Wellbeing,
- 66 University of Central Lancashire,
- 67 Preston,
- 68 PR1 2HE

69 mfrings1@uclan.ac.uk 70 Catherine Elizabeth Lightbody, Reader in Health Services Research, University of Central 71 72 Lancashire; Clinical Fellow at the Australian Catholic University, Sydney, Australia 73 School of Nursing, 74 Faculty of Health and Wellbeing, University of Central Lancashire, 75 76 Preston, 77 PR1 2HE 78 celightbody@uclan.ac.uk 79 01772 893648 80 ORCiD: 0000-0001-5016-3471 81 Richard Weston, Senior Research Fellow, 82 83 Institute of Transport & Tourism 84 School of Management Faculty of Business, Law and Applied Social Studies 85 86 University of Central Lancashire 87 Preston, 88 PR1 2HE 89 rweston@uclan.ac.uk

90

91

92 John Fry, Research Lead and Lecturer in Sport, 93 Myerscough College, 94 St Michaels Road, 95 Bilsborrow, 96 Preston, 97 PR3 0RY jfry@myerscough.ac.uk 98 99 01995 642222 Twitter: @johnfry12 100 101 102 Louise Connell, Reader in Rehabilitation, 103 Allied Health Research Unit, 104 School of Health Sciences, 105 Faculty of Health and Wellbeing, 106 University of Central Lancashire, 107 Preston, 108 PR1 2HE 109 laconnell@uclan.ac.uk 110 01772 895119 111 ORCiD: 0000-0002-0629-2919 112 113 Mark Dooris, Professor in Health and Sustainability and Director of Healthy & Sustainable

114

Settings Unit,

115 School of Community Health and Midwifery, 116 Faculty of Health and Wellbeing, University of Central Lancashire, 117 118 Preston, 119 PR1 2HE 120 mtdooris@uclan.ac.uk 121 01772 893760 122 ORCiD: 0000-0002-5986-1660 123 124 125 Hazel Roddam, Reader in Allied Health Practice, 126 Allied Health Research Unit, 127 School of Health Sciences, Faculty of Health and Wellbeing, 128 129 University of Central Lancashire, 130 Preston, 131 PR1 2HE 132 hroddam@uclan.ac.uk 133 01772 895484 134 ORCiD: 0000-0002-0637-1801 135 Twitter: @HazelRoddam1 136 Caroline Watkins, Professor of Stroke and Older Peoples' Care, 137

- 138 School of Nursing,
- 139 Faculty of Health and Wellbeing,
- 140 University of Central Lancashire,
- 141 Preston,
- 142 PR1 2HE
- 143 <u>clwatkins@uclan.ac.uk</u>
- 144 01772 895542A
- 145 ORCiD: 0000-0002-9403-3772
- 146

147 **Key words**

Stroke, cycling, participation, leisure, rehabilitation

149 Word count

150 3478

An exploration of stroke survivors' perspectives on cycling and the use of 152 electric bikes. 153 154 **ABSTRACT Background** 155 156 New and innovative approaches are needed to overcome the barriers to engaging people in 157 physical and leisure activity after stroke. Outdoor cycling, including the use of adapted or 158 electric bicycles, may be one approach. However, perceptions of stroke survivors on this 159 topic have not yet been explored. 160 **Purpose** 161 To explore a sample of stroke survivors' perspectives, who expressed an interest in cycling, 162 about cycling and the use of electric bicycles. 163 Methods 164 A convenience sample of stroke survivors were identified through focus groups at a 'Cycling 165 after Stroke' event, local stroke support groups, and structured interviews at a national conference for stroke survivors. Quantitative data were analysed descriptively and qualitative 166

167

data analysed thematically.

Results

Data were collected from 21 stroke survivors, seven of whom were current cyclists. All participants were independently mobile with, or without, the use of a walking aid. Themes oriented around the value of cycling (e.g. getting out of the house, doing something for yourself, and feeling part of a community); concerns and challenges (safety and negotiating adaptations); and how they could be overcome (starting slowly and identifying sources of assistance).

Conclusion

Outdoor cycling may be a worthwhile approach to increasing physical and leisure activity after stroke. However, barriers still exist and need to be addressed to provide inclusive opportunities for adapted and electric cycling for stroke survivors. Due to the small sample size and bias population, further research is needed to explore stroke survivors' perspectives on cycling to provide solutions to overcome the barriers identified.

INTRODUCTION

Despite a wealth of evidence supporting the role of physical activity in post-stroke recovery [1] and the prevention of recurrent strokes [2], low levels of physical activity persist amongst stroke survivors [3]. Six months after a stroke, over half of stroke survivors also report that their lives are lacking some aspect of social, recreational, or purposeful activity [4, 5]. Returning to outdoor activities has been identified as a particular concern for people after

stroke [6], with nearly half of stroke survivors experiencing outdoor mobility restrictions [7]. Barriers to activity after a stroke include concerns around balance and fear of falling [8], and a lack of services, transport and support [9, 10, 11]. Novel and innovative approaches are needed that can support stroke survivors in achieving recommended levels of physical activity (i.e. 150 minutes or more of moderate intensity physical activity per week [12]). Cycling may be a feasible and acceptable way of increasing outdoor leisure opportunities for some stroke survivors. Some of the advantages of cycling are that of being seated whilst exercising [13], and the option of being in either an upright or semi-recumbent position [14] depending on the requirement of the user. Cycling is also a functional, repetitive activity [15] and encourages use of the affected side [14]. There is a growing body of evidence demonstrating the increased beneficial effects on wellbeing and self-esteem when exercising in natural environments opposed to synthetic or clinical environments [16, 17, 18]. Yet, the current evidence base for cycling after stroke is limited to stationary cycling in the early phases of rehabilitation [15, 19, 20, 21]. Additionally, there are recent developments in cycling, including the development of motor-assisted bicycles that have yet to be explored in the context of stroke. Electric bicycles (e-bikes) for example, have a battery-operated electric motor that can be utilised to assist the cyclist during cycling. Sales of e-bikes are increasing in the UK [22] with the reported benefits including a reduction in muscle fatigue, exertion, and physiological stress [23]. However, the use of these bikes and the perceptions of stroke survivors towards cycling on e-bikes has not yet been explored within in Ireland, the UK or worldwide to the authors' knowledge.

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

The aim of our study was to explore perspectives of a sample of stroke survivors' who expressed an interest in cycling, about cycling and the use of electric bicycles.

METHODS

This was a sequential exploratory mixed-method design [24] consisting of two phases - focus

groups (phase 1) and structured interviews (phase 2) (see Figure 1).

Participants

For phase one, we identified a sample of stroke survivors with a range of post-stroke cycling experiences using a convenience sampling strategy. A flyer advertising the 'Cycling after Stroke' event was circulated to existing contacts who work with people with stroke. A local stroke support group expressed interest in the event but were unable to attend on the day so a follow-up visit to the group was organised. Participants were recruited for the focus groups through (1) a one-off 'Cycling after Stroke' event held at a university sports arena in July 2016; (2) a visit to a local stroke support group.

national conference for people after stroke. Stroke survivors at the conference were asked if they were interested in taking part in a structured interview. To be eligible to participate in the study the person had to have had a stroke. Carers were allowed to be present. The researchers explained that by participating in the structured interview the participant was giving their voluntary consent to be part of the research project.

Data collection

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

During phase one, we held one focus group at the 'Cycling after stroke' event and two focus groups at the local stroke support group. Focus groups were selected to allow for interactive discussion [25] between participants who were likely to have a range of experiences of outdoor cycling after their stroke. A short topic guide consisting of open questions was used to structure discussions (Appendix I) which were audio recorded. In the second phase, we collected data using structured interviews with consenting attendees at a UK Stroke Assembly, which is a national conference with a target audience of anyone who is affected by stroke. Focus group data, together with findings from the literature, were used to inform the development of the structured interview guide (Appendix I). In the exhibition area of the conference, both the research team and an electric bike company known to the team each had a stand. Due to the proximity of the electric bike stand to the research team's stand, and to minimize any bias, it was made clear to all potential participants on initial introduction that the researchers were conducting independent research relating to cycling and the use of electric bicycles after stroke. A member of the research team (JJ, OG) read each question of the structured interview aloud and recorded on paper the answers given

Data analysis

Audio-recordings of the focus groups were transcribed and imported into NVivo11 for thematic analysis. The approach to analysis was deductive in nature, with a view to identifying and reporting patterns in the data set that reflected participants' perspectives on

and any extra verbal information provided by the participants.

the feasibility of participating in outdoor cycling and the potential utility of electric bicycles. Following the guidance by Braun and Clarke [26], transcripts were read a number of times for understanding. Two members of the research team (MF, AK) then independently analysed the transcripts to produce an initial set of codes. These codes were reviewed in conjunction with (NM) and collated into preliminary themes. The extent to which preliminary themes reflected the data set was checked, prior to producing a refined set of themes. To reduce the burden of participation, member checking was not carried out.

The quantitative data collected in the structured interviews were analysed descriptively (JJ,

Ethical approval and reporting

NG, OG) and compared with the themes from the focus groups.

All participants had the opportunity to read an information sheet and then provided written informed consent to allow audio recording of focus groups prior to data collection. For the structured interviews, the researchers explained that the participant was giving their voluntary consent to be part of the research project as stated at the beginning of the structured interview sheet (Appendix I). This study conformed to the Declaration of Helsinki and received approval from the University of Central Lancashire Research Ethics Committee, number STEMH 474 (focus groups) and number STEMH 647 (structured interviews).

RESULTS

In total 21 stroke survivors took part, 14 males and 7 females. Eleven stroke survivors participated in phase one (three focus groups), and ten stroke survivors completed a structured interview for phase two (Figure 1). Of the eleven participants in the focus group, two were actively cycling, one using a custom recumbent three-wheeled bicycle and the other using a standard road bicycle. The remaining nine focus group participants were not currently cycling, but had recently had the opportunity to trial-adapted bicycles.

Of the ten participants in the structured interview, seven were male, three were female and 50% were over the age of 60 years. The average number of years since having their stroke was 9, ranging from 3 to 30 years. Five of the ten participants in the structured interviews were currently cycling, one using a balance bike, one using a tandem, one using an electric bicycle, and two using a standard bicycle. All participants were independently mobile with, or without, the use of a walking aid.

Insert Figure 1 here

Figure 1: Overview of data collection

Value of cycling

When asked about reasons for taking up cycling, or returning to cycling after their stroke, three themes were evident in the focus group discussions: (i) improved mood through being outdoors, (ii) doing something for yourself and (iii) being part of a community. These findings also emerged in the structured interviews; five participants identified that doing something for yourself and being part of a community as important. Health and fitness was the main reason for cycling, and three of the five reported social reasons for cycling.

During the focus groups, participants discussed how finding themselves stuck in the house after a stroke contributed to problems of low mood. Taking part in an outdoor activity, in the form of cycling, provided a valuable opportunity to counter this and enhance their wellbeing.

I wanted to get out of the house, you feel cooped up in the house after a while, you want to be outside you want to breathe the fresh air and be away from being cooped up. That being cooped up adds to feeling a little bit more down as time goes on doesn't it #'Current cyclist using road bike

Focus group participants stressed the importance of having the opportunity to do something for themselves after their stroke. A number of participants provided detailed reflections on their time in rehabilitation, where they felt their opportunity to assess risk, and make

decisions for themselves, was often revoked. One participant provided the following example

to illustrate their experience:

...one weekend I thought 'I know! I'll get out the wheelchair and see if I can get up the stairs'...so I went up on my bum one step at a time and I got to the top I felt really great, like I achieved something. When I got back to rehab and I happen to mention to a physio passing or an OT, I don't know who to blame [laughter], a week or two later when they had a case conference and I was sitting here listening to them that I had done this awful thing and gone upstairs and I felt naughty as if I shouldn't have done it...and I think the whole pressure of 'be careful' and 'don't do that' I think needs to change with rehab, you know 'try this', 'do this', 'push yourself a little'; okay you fall over you're not going to break well not too badly anyway #Currently cyclist using custom recumbent bicycle

Experiencing a sense of achievement after participating in cycling activities was evident across all of the focus group discussions. Participants emphasised the importance of 'giving it a go' by themselves and highlighted that the resulting tiredness was experienced positively.

You know I wanted to do it independently I didn't want to go on one with the two seats, one of the helpers wanted to go one with me but I said no, it won't prove I have done it, I have got to prove I can do it #Non-cyclist but recently trialled cycling

I was so fatigued after the stroke that it was nice to have the cycling to create a different tiredness, a tiredness that I remembered from pre-stroke was because I was physically having a go, it was nice to feel that tired instead of fatigued from the stroke #'Current cyclist using road bike

The final aspect discussed by participants was how cycling afforded them the opportunity to feel part of a wider community.

You know, since I've had this trike, one of the things that sort of amazed me when I'm cycling along and proper cyclists come past they wave...you are part of that group...and you're not labelled you know, we're all in this together! #Currently cyclist using custom recumbent bicycle

...but the joy of it, the joy, like fitting helmets you know [laughter] took me ages to fit a helmet, and she's [coordinator] going "Don't take that bike, don't take that bike, I've got to check the tyres!" You know, so there was a lot of camaraderie with it which was the enjoyable bit. #Non-cyclist but recently trialled cycling

Concerns around cycling

Participants reported a number of concerns that were most often oriented around safety and practical issues during both phases. Although some focus group participants were able to try two wheeled bicycles, the majority opted for a three-wheeled bicycle to accommodate concerns around balance. Five of the ten structured interview participants reported fear of falling as a discouraging factor, with three of the non-cyclists reporting additional concerns relating both to keeping hold of handlebars, and keeping feet on the pedals. Participants in the focus groups, who had the opportunity to trial bicycles, also expressed some concerns over adaptations that intended to overcome stroke related impairments, but could inadvertently increase anxiety or risk of falls for participants.

...because I thought maybe these bikes would be, depending if you've had a stroke, you can put a strap on the pedals, put a strap around the left hand side, put a strap around the right hand side depending on which foot is difficult, that's the best route

for you. But then I thought afterwards, you can't stop because if that foots on the pedal you have to stop that way, getting your feet out you'll be collapsed and hit on the floor. #Non-cyclist but recently trialled cycling

Most participants said during the focus groups that they would be unlikely to cycle on their own or on the roads due to safety concerns. Traffic was the primary reason for avoiding cycling on roads and one participant joked:

On the cars coming too close I was told there is research, proper research, that showed that cars go closer to cyclists in Lycra than they do to people not dressed in Lycra [laughter]...so the secret is to look as unprofessional as possible! #Currently cyclist using custom recumbent bicycle

These findings were echoed in the structured interview data where four of the ten participants reported other road users as a discouragement from cycling.

Overcoming challenges

Focus group participants reported that (i) starting slowly, and (ii) having help could assist in overcoming some of the identified concerns. For example, one participant discussed the option of starting on an indoor training device to get used to being on a bike, with another participant outlining that the local authority cycling sessions provided an opportunity to test out cycling before potentially progressing to purchasing a bicycle of your own:

If you practice on these [bicycles in group sessions] I suppose and you're good with them you could think, ah, maybe I could buy my own bike now that I'm used to it, so it's a good way of testing if you could do it isn't it and then you can buy your own if you progress #Non-cyclist but recently trialled cycling

Participants in the focus groups also spoke about the need for practical support for transporting, and getting on and off the bicycles. However, only two of the ten participants in the structured interviews identified this as an issue. Perspectives on the potential value of motor assistance were generally positive as many participants felt that they were unable to do as much as they would have liked on the bicycles. Additionally, participants identified disadvantages such as weakness in particular positions, being unable to stand on the pedals to generate additional force, and other non-stroke related problems that affected their ability to pedal that could be helped by using a motor assisted bicycle.

I persevered, I had it the same as him, I did two laps and the first lap was fairly easier than the second one. It was just ... it was impossible and I would have loved to carry on but that was that. #Non-cyclist but recently trialled cycling

Because I have something wrong with my groin, I had a fractured pelvis you see and it's my left groin a bit. So then it [my leg] was so high I couldn't get my leg back down with the pedal to get that going so electrical would have made it easier in that instance #Non-cyclist but recently trialled cycling

In the structured interviews, eight of the ten participants expressed that they would be interested in using an electric bicycle but identified the price as the most discouraging factor.

The one participant who already owned an electric bicycle found it to be useful and practical.

DISCUSSION

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

We identified three themes in this study that captured the stroke survivors' perspectives of outdoor cycling. The themes related to the value of cycling, the concerns and challenges of cycling, and then how these concerns may be overcome. Values of cycling that were highlighted included getting out of the house and enjoying the fresh air. Participants also highlighted the potential social element provided when cycling in a group setting, and through feeling part of the wider cycling community. The benefits of group exercise that provide an opportunity for social engagement, especially with people who are experiencing similar health conditions, has been highlighted in the literature [8,27]. Additionally, greater engagement in valued activities has been shown to be positively associated with improvements in emotional well-being after stroke [28]. None of the participants in this study reported an interest in cycling for practical purposes, which is reflective of the common UK population [29]. Participants did however identify numerous concerns, the primary one being safety whilst cycling. Safety is often considered the most important factor influencing cycling participation in the general population, particularly for women, children and the elderly [29]. Although some participants felt confident to cycle on the road, the majority of participants identified that they would be prefer cycling in spaces where no traffic would be present. Safety also included concerns around balance, falling, and being able to keep upper and lower limbs safely in position when cycling. A correct bespoke setup is said to be essential for optimising performance [30]. However, for many participants this involves the use of large and weighty adapted bicycles with implications for manoeuvring the bicycles, and for transportation.

Having assistance from others was identified as a crucial element to overcome some of the identified challenges. Participants, in this small sample sized study, had generally positive perspectives on the use of motor assistance. Power assisted, or electric bicycles, are becoming increasing popular in some parts of the world [31]. More recently, there are examples of how electric bicycles have been adapted to accommodate impairments resulting from other neurological conditions (e.g. cerebral palsy [32]) which may provide some insight into the optimisation of motor assisted bicycles for a stroke population. Some of the perceived benefits of electric bicycles in the general population include an improved sense of health and wellbeing and being able to cover greater distances in a shorter period of time with less effort [22]. However, various barriers are still present, most notably the high cost, which was identified by the sample of stroke survivors in this study. All participants in this study self-selected to take part at the events 'Cycling After Stroke', local stroke support groups and a national stroke conference. Therefore, bias was introduced to the convenient sample of participants recruited, due to the individuals attending the events being actively engaged in their rehabilitation and interested in cycling already. As such, the results may represent an overly positive view. All participants were also independently mobile with, or without, the use of a walking aid. There are likely to be additional limitations for more severely impaired stroke survivors that are therefore not represented in this study. Study participants had a mix of experiences of cycling, and the perspectives of the majority was based on a one-off recent experience of trialling adapted bicycles. Additionally, perspectives on the utility of electric bicycles are based on speculation, rather than

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

experience, for the majority of participants.

CONCLUSION

Outdoor cycling may be a worthwhile approach to increasing physical activity after stroke, but further work is needed to develop solutions to existing barriers to participation. The likely benefits of this approach may include increased opportunities to get out of the house, participation in 'green exercise' and increased social contact with other stroke survivors and the wider cycling community. This study has highlighted that barriers still exist for people after stroke who are interested in cycling, and would need to be addressed to provide inclusive opportunities for adapted and electric cycling for stroke survivors. However, due to the small sample size and bias population used, the findings of this study cannot be generalised. Therefore, more research is needed to explore stroke survivors' perspectives on cycling to provide solutions to overcome the current barriers identified.

Acknowledgements

We would like to acknowledge the participants who gave up their time to contribute to this study. This article presents independent research (focus groups) funded by the National Institute for Health Research Collaboration for Leadership in Applied Health Research and Care North West Coast (NIHR CLAHRC NWC). In addition, the European Regional Development Fund (ERDF) as part of the European Structural and Investment Funds Growth Programme 2014-2020 funded the structured interviews through the UCLan Innovation Clinic. The views expressed are those of the author(s) and not necessarily those of the NHS, the NIHR, the ERDF programme or the Department of Health.

Declaration of interest

The authors report no conflicts of interest.

References

451

- 1. Saunders DH, Sanderson M, Hayes S, et al. Physical fitness training for stroke patients. *Cochrane Database Syst Rev.* 2016;3(CD003316).
- 456 2. Sacco RL, Adams R, Albers G, et al. Guidelines for Prevention of Stroke in Patients
- With Ischemic Stroke or Transient Ischemic Attack A Statement for Healthcare
- 458 Professionals From the American Heart Association/American Stroke Association
- Council on Stroke: Co-Sponsored by the Council on Cardiovascular Radiology and
- Intervention: The American Academy of Neurology affirms the value of this
- 461 guideline. Circulation. 2006;113(10):e409-e449.
- 462 3. Rand D, Eng JJ, Tang PF, Hung C, Jeng JS. Daily physical activity and its
- 463 contribution to the health-related quality of life of ambulatory individuals with
- chronic stroke. *Health Qual Life Outcomes*. 2010;8(80).
- 465 4. Mayo N, Anderson S, Barclay R, et al. Getting on with the rest of your life following
- stroke: A randomized trial of a complex intervention aimed at enhancing life
- participation post stroke. *Clin Rehabil.* 2015;29(12):1198-1211.
- 468 5. Mayo N, Wood-Dauphinee S, Cote R, Durcan L, Carlton J. Activity, participation,
- and quality of life 6 months poststroke. Arch Phys Med Rehabil. 2002;83(8):1035-
- 470 1042.

- 471 6. van der Zee CH, Visser-Meily JM, Lindeman E, Jaap Kappelle L, Post MW.
- 472 Participation in the chronic phase of stroke. *Top Stroke Rehabil.* 2013;20(1):52-61.
- 473 7. Logan PA, Armstrong S, Avery TJ, et al. Rehabilitation aimed at improving outdoor
- 474 mobility for people after stroke: a multicentre randomised controlled study (the
- Getting out of the House Study). *Health Technol Assess*. 2014;18(29):vii-viii, 1-113.
- 8. Simpson LA, Eng JJ, Tawashy AE. Exercise perceptions among people with stroke:
- Barriers and facilitators to participation. *Int J Ther Rehabil.* 2011;18(9):520-530.
- 478 9. Nicholson S, Sniehotta FF, van Wijck F, et al. A systematic review of perceived
- barriers and motivators to physical activity after stroke. *Int J Stroke*. 2013;8(5):357-
- 480 364.
- 481 10. Rimmer JH, Wang E, Smith D. Barriers associated with exercise and community
- access for individuals with stroke. *J Rehabil Res Dev.* 2008;45(2):315-322.
- 483 11. Best C, van Wijck F, Dennis J, et al. A survey of community exercise programmes for
- stroke survivors in Scotland. *Health Soc Care Community*. 2012;20(4):400-411.
- 485 12. Intercollegiate Stroke Working Party. National Clinical Guidelines for Stroke 5th
- 486 Edition. London: Royal College of Physicians; 2016.
- 487 13. Barbosa D, Santos CP, Martins M. The Application of Cycling and Cycling
- 488 Combined with Feedback in the Rehabilitation of Stroke Patients: A Review. *J Stroke*
- 489 *Cerebrovasc Dis.* 2015;24(2):253-273.

- 490 14. Sibley KM, Tang A, Brooks D, Brown DA, McIlroy WE. Feasibility of adapted
- aerobic cycle ergometry tasks to encourage paretic limb use after stroke: a case series.
- 492 *J Neurol Phys Ther.* 2008;32(2):80-87.
- 493 15. Hancock N, Shepstone L, Winterbotham W, Pomeroy V. Effects of lower limb
- reciprocal pedalling exercise on motor function after stroke: a systematic review of
- randomized and nonrandomized studies. *Int J Stroke*. 2012;7(1):47-60.
- 496 16. Bowler DE, Buyung-Ali LM, Knight TM, Pullin AS. A systematic review of evidence
- for the added benefits to health of exposure to natural environments. *BMC Public*
- 498 *Health.* 2010;10(456).
- 499 17. Pretty J, Peacock J, Sellens M, Griffin M. The mental and physical health outcomes of
- green exercise. *Int J Environ Health Res.* 2005;15(5):319-337.
- 501 18. Barton J, Bragg R, Wood C, Pretty J. Green Exercise: Linking Nature, Health and
- Well-being. New York Routledge; 2016.
- 503 19. Kim SJ, Cho HY, Kim YL, Lee SM. Effects of stationary cycling exercise on the
- balance and gait abilities of chronic stroke patients. *J Phys Ther Sci.*
- 505 2015;27(11):3529-3531.
- 506 20. Peri E, Ambrosini E, Pedrocchi A, et al. Can FES-Augmented Active Cycling
- Training Improve Locomotion in Post-Acute Elderly Stroke Patients? *Eur J Transl*
- 508 *Myol.* 2016;26(3):6063.

- 509 21. Vanroy C, Feys H, Swinnen A, et al. Effectiveness of Active Cycling in Subacute
- 510 Stroke Rehabilitation: A Randomized Controlled Trial. *Arch Phys Med Rehabil*.
- 511 2017;98(8):1576-1585.e1575.
- 512 22. Jones T, Harms L, Heinen E. Motives, perceptions and experiences of electric bicycle
- owners and implications for health, wellbeing and mobility. *J Transp Geogr.*
- 514 2016;53:41-49.
- 515 23. Theurel J, Theurel A, Lepers R. Physiological and cognitive responses when riding an
- electrically assisted bicycle versus a classical bicycle. *Ergonomics*. 2012;55(7):773-
- 517 781.
- 518 24. Creswell J.W., Plano Clark V.L., Gutmann M.L. and Hanson W.E. Advanced mixed
- methods research designs. In: Tashakkori A. and Teddlie C., editor. Handbook of
- Mixed Methods in Social and Behavioral Research: Sage Publications; 2003. p. 209-
- 521 240.
- 522 25. Kitzinger J. The methodology of focus groups: the importance of interaction between
- research participants. Sociol Health Illn. 1994;16(1):103-121.
- 524 26. Braun V, Clarke V. Using thematic analysis in psychology. *Qualitative research in*
- *psychology.* 2006;3(2):77-101.
- 526 27. Chen M-D, Rimmer JH. Effects of Exercise on Quality of Life in Stroke Survivors A
- 527 Meta-Analysis. *Stroke*. 2011;42(3):832-837.

528 28. Egan M, Davis CG, Dubouloz CJ, Kessler D, Kubina LA. Participation and well-529 being poststroke: evidence of reciprocal effects. Arch Phys Med Rehabil. 530 2014;95(2):262-268. 531 Pucher J, Buehler R. Making cycling irresistible: lessons from the Netherlands, 29. 532 Denmark and Germany. Transport Rev. 2008;28(4):495-528. 533 30. Burt P. Bike Fit: Optimise Your Bike Position for High Performance and Injury 534 Avoidance. London: Bloomsbury 2014. 535 31. Dill J, Rose G. Electric bikes and transportation policy: Insights from early adopters. 536 Transport Res Rec. 2012;2314:1-6. 537 32. Blumenstein T, Zeitlmann H, Alves-Pinto A, Turova V, Lampe R. Optimization of 538 electric bicycle for youths with disabilities. SpringerPlus. 2014;3(646). 539 540

A. Focus group topic guide • What made you/would make you want to start cycling in the first instance? • What were/would be your concerns/anxieties around cycling? • How could these concerns/anxieties be overcome? • What would you think about having a bicycle with motor assistance? • What would your preferences be for participating in cycling?

Appendix I: Data collection tools

554	B. Cycling a	ıfter	Stroke:	Stru	ictured l	Intervie	W		
555	By completing th	is st	ructured	inter	view and	l returni	ng it to	the p	orincipal researcher, you give
556	your voluntary consent to be a part of the research project and agree that the information								
557	collected can be used for further analysis as a part of the project.								
558									
559	You are able to w	vithd	lraw fron	n the	study at	any tim	e durin	g the	structured interview.
560	However, as all is	nfor	mation y	ou gi	ve is and	onymou	s, once	the co	ompleted structured interview
561	has been filed you will not be able to withdraw.								
562 563	We would really appreciate your feedback regarding cycling after stroke. All responses given will remain anonymous.								
564	Interviewer's name:								
565	Please answer all	the	question	s as i	fully and	as hone	estly as	possi	ble.
566	Age group								
			18-25			26-35			36-44
			45-60			60+			Prefer not to say
567	Gender								
			Male		Female		□ F	refer	not to say
568	How long is it sir	ice y	ou had y	our:	stroke?			ye	ears months

569						
570				Cycling		
571	Q1. Do you cur	rently cycle?				
		□ Yes	□ No	☐ Prefer not	to say	
572						
573	If yes, for what	reason(s) do	you cycle? T	ick all that apply.		
		Social		Practical		Fitness/
		(e.g. cycling others, netwo		(e.g. commuti	ng)	health & wellbeing
574						
575	If no, we	ould you be in	nterested in c	ycling?		
		□ Yes	□ No	☐ Prefer not	to say	
576	Q2. Do you or h	nave you ever	owned or us	ed a bicycle?		

Q3. Is there anything that is discouraging you from cycling at present?

577

figspace Yes figspace No figspace Prefer not to say

		☐ Yes ☐ No ☐ Prefer not to say
578	If ye	es, please tick all that apply:
579	Phys	sical limitations:
		Feet slide off the pedals
		Unable to hold onto handlebars
		Afraid of falling off due to poor balance
		Not enough strength or endurance
		Other health issues, (eg, poor vision or hearing, other medical conditions,
		etc). Please specify below:
580	Safe	ty concerns:
		Other road users
		Novelega cofe to evale lecally.
		Nowhere safe to cycle locally
		Other
581		
582	Othe	er considerations:
		Lack of confidence

		Fear of being judged by others for riding a bike							
		Practicalities, (e.g. needing to plan ahead for this, difficulties transporting bike).							
		Please specify below:							
		Other:							
583									
584		Electric bikes							
585	Q4. Have y	ou heard of an electric bike?							
		☐ Yes ☐ No ☐ Prefer not to say							
586	Q5. Would	you be interested in using an electric bike to cycle either as a hobby or form of							
587	exercise?								
		☐ Yes ☐ No ☐ Not applicable							
5 00									
588	Q6. Is there	anything that is discouraging you from cycling on an electric bike?							
589	Safe	ty concerns:							
		Speed of an electric bike							

		Other:		
590				
591	Othe	er considerations:		
		Lack of confidence		
		Fear of being judged	d by others for riding an electric b	ike
		Price of the electric	bike	
		Practicalities, (eg, cl	harging the battery, concerns abou	it battery
		running out and nee	ding to plan ahead for this, difficu	lties
		transporting electric	bike, weight of the electric bike).	
		Please specify below	w:	
592				
593	Q7. Lookin	g at the adaptations sh	nown please tell us which of the fo	ollowing you would
594	consider ac	ceptable to use? Tick	all that apply.	
	Arm/Hand	1	Leg/Foot	Balance
	1 🗖		6 □	11 🗖
	2 🗖		7 🗖	12 🗖
	3 🗖		8 🗆	13 🗖
	4 🗖		9 🗖	
	5 🗖		10 🗖	

595	If you would require any other adaptations, please write below.								
596									
597	Q8. Have you to	ried the e	lectric bik	te today	?				
		□ Ye	es 🗖	No		Prefer not	to say		
598	Q9. Would you	recomm	end this e	lectric b	ike to	others?			
	C	Yes		No		Maybe		Don't l	know
599	Q10. An electric	c bike co	sts arounc	1£1,000	. Havi	ing seen thi	is electric	bike wi	th adaptations
600	today, how like	ly would	you be to	buy it?					
	Extrem	nely	Not very	7	Quite	e likely	Extreme	ly	Prefer not to
	unlikel	y	likely				likely		say
601	Q11. How affor	dable is	this electr	ic bike f	or you	1?			
	Compl	etely	Not very	7	Quite	e	Complet	ely	Prefer not to
	unaffor	dable	affordab	le	affor	dable	affordab	le	say

602	Q12. He	ow practical woul	ld using an electr	ic bike be for you	1?		
						0	
		Extremely	Not very	Quite practical	Extremely	Prefer not to	
		impractical	practical		practical	say	
603	Q13. He	ow useful would	it be for you to ha	ave an electric bi	ke?		
		Extremely	Not very	Quite useful	Extremely	Prefer not to	
		useless	useful		useful	say	
604	Q14. How acceptable is this electric bike with adaptations to you?						
		Extremely	Not very	Quite	Extremely	Prefer not to	
		unacceptable	acceptable	acceptable	acceptable	say	
605	Q15. H	ow concerned are	you about safety	when using this	electric bike?		
		Extremely	Not very	Quite	Extremely	Prefer not	

606	Q16. How likely is it tha	t this electric bike	e would reduce any	y imbalances bety	ween you and
607	those around you?				
608					
	Extremely	Not very	Quite likely	Extremely	Prefer not to say
	unlikely	likely		likely	
609 610	Q17. Do you have any or			ectric bike or the	adaptations?
611					
612					
613					
614	Tha	nk you for compl	eting this structure	d interview!	
615					

concerned

concerned

unconcerned

616

concerned

to say

Figure 1

Figure 1: Overview of data collection

