

Central Lancashire Online Knowledge (CLoK)

Title	Dietary guidelines for children under 2 years of age in the context of
	nurturing care
Туре	Article
URL	https://clok.uclan.ac.uk/29096/
DOI	https://doi.org/10.1111/mcn.12855
Date	2019
Citation	Pérez-Escamilla, Rafael, Segura-Pérez, Sofia and Hall Moran, Victoria (2019)
	Dietary guidelines for children under 2 years of age in the context of
	nurturing care. Maternal & Child Nutrition, 15 (3). e12855. ISSN 1740-8695
Creators	Pérez-Escamilla, Rafael, Segura-Pérez, Sofia and Hall Moran, Victoria

It is advisable to refer to the publisher's version if you intend to cite from the work. https://doi.org/10.1111/mcn.12855

For information about Research at UCLan please go to http://www.uclan.ac.uk/research/

All outputs in CLoK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the <u>http://clok.uclan.ac.uk/policies/</u>

MCN Commentary 1

2	Dietary Guidelines for Children Under Two Years of Age in the Context of
3	Nurturing Care
4	¹ Rafael Pérez-Escamilla, PhD; ² Sofia Segura-Pérez, MS, RD; ³ Victoria Hall Moran, PhD
5	¹ Yale School of Public Health, New Haven, CT
6	² Hispanic Health Council, Hartford, CT
7	³ University of Central Lancashire, Preston, England
8	Corresponding author email: rafael.perez-escamilla@yale.edu
9	Abstract
10	Dietary guidelines provide nutritional advice to different subsets of the population, but often do
11	not take into account 'how' to eat. Responsive feeding is a key dimension of responsive
12	parenting involving reciprocity between the child and caregiver during the feeding process and is
13	characterized by caregiver guidance and recognition of the child's cues of hunger and satiety.
14	There is increasing evidence to indicate that providing responsive feeding guidance to mothers
15	on how to recognize and respond appropriately to children's hunger and satiety cues can lead to
16	improved feeding practices and weight status and developmental outcomes among infants and
17	young children. In addition, early and nurturing exposures to foods with different tastes and
18	textures and positive role modeling helps children to learn to eat healthy foods in a nurturing
19	way. The importance of improving caregiver's responsive feeding behaviors to ensure the
20	adequate introduction of complementary foods is becoming increasing recognized, but
21	responsive feeding principles are not used in a comprehensive way in the development of dietary
22	guidelines. The incorporation of responsive feeding principles into dietary guidelines has a
23	strong potential to enhance the impact on early childhood development outcomes for infants and 1

young children, but will require adaptation to the different contexts across countries to ensure
that they are culturally sensitive and grounded in a deep understanding of the types of foods
available to diverse communities.

27

28

29 Early childhood development research has unequivocally shown that essential motor, language, cognitive, social, emotional and behavioral skills are acquired during the first years of life, thus, 30 31 adequate nutrition is essential for optimal growth and development of children. The nurturing 32 care framework recognizes that children need to be surrounded by safe, stimulating environments that promote healthy growth and development. Providing nurturing care to 33 children has been identified as a global priority (Black, Perez-Escamilla, & Rao, 2015; Black et 34 al., 2017) although the feeding dimension remains untapped, in part, as a result of a lack of clear 35 responsive feeding guidelines during the first 1000 days of life. 36 37 Dietary guidelines (DGs) have typically focused on the 'what' different subgroups in the population should be advised to eat and 'why' (Herforth et al., 2019). However, little attention 38 has been paid to the 'how' to eat or, in the case of infants and young toddlers, how to feed them. 39 40 This commentary focuses on the need of more relevant dietary guidelines targeting the first 1000 days of life given that it represents a highly sensitive period of time for the future growth, health 41 42 and development of human (Black et al., 2017). During this period of time, especially infancy 43 and early toddlerhood, the how to feed is a crucial component of responsive parenting and feeding which in turn are central elements of nurturing care (Black et al., 2017). Responsive 44 45 feeding (RF) is a key dimension of responsive parenting involving reciprocity between the child 46 and caregiver during the feeding process. It is grounded upon the following three steps: (1) the

child signals hunger and satiety through motor actions, facial expressions, or vocalizations; (2) 47 the caregiver recognizes the cues and responds promptly in a manner that is emotionally 48 49 supportive, contingent on the signal, and developmentally appropriate; and (3) the child experiences a predictable response to signals (Bentley, Wasser, & Creed-Kanashiro, 2011; 50 Black & Aboud, 2011; Pérez-Escamilla, Segura-Pérez, & Lott, 2017). Ultimately the key 51 52 outcome sought through RF is for the young child to learn to self-regulate their food intake in response to hunger. RF has been found to have strong potential to help prevent both 53 54 undernutrition and overnutrition making it highly relevant for dietary guidance in the context of 55 the double burden of malnutrition global epidemic (Pérez-Escamilla & Segura-Pérez, 2019). In our experience there are five RF aspects that caregivers and health care providers of young 56 children could greatly benefit from if they are incorporated into DGs for infant and young 57 children. First, what the mother eats and drinks during pregnancy and lactation is likely to 58 important for the future development of food preferences in the child (Spahn et al., 2019). 59 60 Indeed, consistent evidence indicates that flavors such as alcohol, anise, carrot, and garlic; originating from the maternal diet during pregnancy and lactation, can transfer to and flavor 61 amniotic fluid. Furthermore, fetal flavor exposure increases acceptance of similarly flavored 62 63 foods when re-exposed during infancy and childhood (Spahn et al., 2019). Second, it is important to interpret correctly hunger and satiety cues and how they evolve as the child develops. 64 65 Consistent evidence from randomized controlled trials indicates that providing RF guidance to 66 mothers on how to recognize and respond appropriately to children's hunger and satiety cues can lead to improved weight status among infants and young toddlers (Spill et al., 2019a), and may 67 68 improve developmental outcomes (Vasir et al., 2012). Third, beginning at around 6 months of age 69 when complementary foods are introduced for the first time, children benefit from repeated

3

exposure to a variety of foods and also a variety of textures that are appropriate for their
developmental stage (Spill et al., 2019b). Fourth, focusing on establishing pleasant and
stimulating eating time experiences, including not pressuring the child to eat and positive role
modeling of healthy dietary behaviors by caregivers, and avoiding screen distraction; helps the
child learn to eat healthy foods in a nurturing way (Birch & Doub, 2014; Pérez-Escamilla et al.,
2017; Spill et al., 2019a).

76 At the global level, most research assessing comprehensive RF interventions conducted in high

income countries has been done in families with high socio-economic status (Hurley, Cross, &

Hughes, 2011; Pérez-Escamilla et al., 2017; Redsell et al., 2016; Savage, Birch, Marini,

79 Anzman-Frasca, & Paul, 2016). There is a strong need to understand how low-income families in

80 countries with different levels of economic development can implement RF practices in their

81 households given the lack of access they often have to healthy foods, health care access,

resources and the overall stability needed for it to work (Abebe, Haki, & Baye, 2017; Naila et al.,

83 2018; Pérez-Escamilla et al., 2017; Silva Garcia et al., 2018).

In 2003, the Global Strategy for Infants and Young Child Feeding (WHO & UNICEF, 2003)

recognized the importance of improving caregiver's RF behaviors to ensure the adequate

86 introduction of complementary foods. Later, the Pan American Health Organization (PAHO)

and WHO released the Guiding Principles for Complementary Feeding of the Breastfed Child

88 with RF being one of them (PAHO & OMS, 2004). However, it has not been until more recently

that some RF principles have been incorporated into DG's among diverse countries including

90 Canada (Health Canada, Canadian Paediatric Society, Dietitians of Canada, & Breastfeeding

91 Committee for Canada, 2012), Mexico (Bonvecchio et al., 2015), Brazil (Ministério da Saúde,

92 2018; UNICEF-Brazil, 2018), and Europe (Fewtrell et al., 2017). However, the use of a

93	comprehensive responsive feeding framework for the development of infant feeding
94	recommendations remains largely unexplored. An exception are the U.S. HER-RWJF RF
95	Guidelines for Infants and Young Toddlers (Pérez-Escamilla et al., 2017) that have now been
96	adopted for use in Mexico's government sponsored child health and education centers as part of
97	the birth to five initial education nurturing care initiatives from the Ministry of Education (Pérez-
98	Escamilla, Segura-Pérez, & García-Martínez, 2018).
99	Incorporating RF as part of DGs that address early childhood, especially the first 1000 days of
100	life, will require adaptation to the different contexts across countries to ensure that they are
101	culturally sensitive and grounded in a deep understanding of the types of foods available to
102	diverse communities (Gladstone et al., 2018). The design and assessment of UNICEF's C-IYCF
103	Counseling Package in Nigeria is an example as to how this process of adaptation can
104	successfully occur using sound mixed methods implementation science approaches (Lamstein et
105	al., 2018). Lastly, incorporating RF guidelines into the protocols for Early Childhood
106	Development nurturing care home visits such as Care for Child Development (WHO, 2012), and
107	Reach Up (Smith et al., 2018) has a strong potential to enhance even more the impact of these
108	nurturing care interventions on ECD outcomes(Britto et al., 2017; Richter et al., 2017) .
109	
110	References
111	
112	Abebe, Z., Haki, G. D., & Baye, K. (2017). Child feeding style is associated with food intake and
113	linear growth in rural Ethiopia. Appetite, 116, 132-138. doi:10.1016/i.appet.2017.04.033
114	Bentley, M. E., Wasser, H. M., & Creed-Kanashiro. H. M. (2011). Responsive feeding and child
115	undernutrition in low- and middle-income countries. J Nutr. 141(3), 502-507.
116	doi:10.3945/jn.110.130005
117	Birch, L. L., & Doub, A. E. (2014). Learning to eat: birth to age 2 y. Am J Clin Nutr, 99(3),
118	723s-728s. doi:10.3945/ajcn.113.069047

118 723s-728s. doi:10.3945/ajcn.113.069047
119 Black, M. M., & Aboud, F. E. (2011). Responsive feeding is embedded in a theoretical 120 framework of responsive parenting. *J Nutr*, *141*(3), 490-494. doi:10.3945/jn.110.129973

121	Black, M. M., Perez-Escamilla, R., & Rao, S. F. (2015). Integrating nutrition and child
122	development interventions: scientific basis, evidence of impact, and implementation
123	considerations. Adv Nutr, 6(6), 852-859. doi:10.3945/an.115.010348
124	Black, M. M., Walker, S. P., Fernald, L. C. H., Andersen, C. T., DiGirolamo, A. M., Lu, C.,
125	Grantham-McGregor, S. (2017). Early childhood development coming of age: science
126	through the life course. Lancet, 389(10064), 77-90. doi:10.1016/s0140-6736(16)31389-7
127	Bonvecchio, A. A., Fernández-Gaxiola, A. C., Plazas, B. M., Kaufer-Horwitz, M., Pérez-Lizaur,
128	A. B., & Rivera-Dommarco, J. A. (2015). Guías alimentarias y de actividad física.
129	Retrieved from
130	https://www.anmm.org.mx/publicaciones/CAnivANM150/L29_ANM_Guias_alimentaria
131	s.pdf
132	Britto, P. R., Lye, S. J., Proulx, K., Yousafzai, A. K., Matthews, S. G., Vaivada, T., Bhutta,
133	Z. A. (2017). Nurturing care: promoting early childhood development. Lancet,
134	389(10064), 91-102. doi:10.1016/s0140-6736(16)31390-3
135	Fewtrell, M., Bronsky, J., Campoy, C., Domellof, M., Embleton, N., Fidler Mis, N.,
136	Molgaard, C. (2017). Complementary Feeding: A Position Paper by the European Society
137	for Paediatric Gastroenterology, Hepatology, and Nutrition (ESPGHAN) Committee on
138	Nutrition. J Pediatr Gastroenterol Nutr, 64(1), 119-132.
139	doi:10.1097/mpg.00000000001454
140	Gladstone, M., Phuka, J., Mirdamadi, S., Chidzalo, K., Chitimbe, F., Koenraads, M., & Maleta,
141	K. (2018). The care, stimulation and nutrition of children from 0-2 in Malawi-
142	Perspectives from caregivers; "Who's holding the baby?". PLoS One, 13(6), e0199757.
143	doi:10.1371/journal.pone.0199757
144	Health Canada, Canadian Paediatric Society, Dietitians of Canada, & Breastfeeding Committee
145	for Canada. (2012). Nutrition for healthy term infants: recommendations from birth to six
146	months. Can J Diet Pract Res, 73(4), 204. doi:10.3148/73.4.2012.204
147	Herforth, A., Arimond, M., Alvarez-Sanchez, C., Coates, J., Christianson, K., & Muehlhoff, E.
148	(2019). A Global Review of Food-Based Dietary Guidelines. Adv Nutr.
149	doi:10.1093/advances/nmy130
150	Hurley, K. M., Cross, M. B., & Hughes, S. O. (2011). A systematic review of responsive feeding
151	and child obesity in high-income countries. J Nutr, 141(3), 495-501.
152	doi:10.3945/jn.110.130047
153	Lamstein, S., Perez-Escamilla, R., Koniz-Booher, P., Begin, F., Adeyemi, S., Kaligirwa, C.,
154	Adebisi, B. (2018). The Community Infant and Young Child Feeding Counselling
155	Package in Kaduna State, Nigeria. A Mixed Methods Evaluation. Retrieved from
156	https://www.spring-
157	nutrition.org/sites/default/files/publications/reports/nigeria_ciycf_eval_rep_15-2-18.pdf
158	Ministério da Saúde. (2018). Guia alimentar para crianças menores de 2 anos. In M. d. Saúde
159	(Ed.), Ministério da Saúde. Brasília,.
160	Naila, N., Nahar, B., Lazarus, M., Ritter, G., Hossain, M., Mahfuz, M., Ickes, S. (2018).
161	"Those who care much, understand much." Maternal perceptions of children's appetite:
162	Perspectives from urban and rural caregivers of diverse parenting experience in
163	Bangladesh. Matern Child Nutr, 14(1). doi:10.1111/mcn.12473
164	PAHO, & OMS. (2004). Guiding Principles for Complementary Feeding of The Breastfed Child.
165	Retrieved from

166	https://www.who.int/nutrition/publications/guiding_principles_compfeeding_breastfed.p
167	$\frac{\text{dI}}{\text{Dim}}$
168 169	marco mundial del cuidado cariñoso y sensible durante la primera infancia. In 'Infancia,
170	adolescencia y juventud: oportunidades claves para el desarrollo' (pp. 35-56).
171	Montevideo, Uruguay: UNICEF.
172	Pérez-Escamilla, R., Segura-Pérez, S., & García-Martínez, A. (2018). Alimentación perceptive
173	para niñas y niños de 0 a 5 años: Recetario. Aprendizajes Clave para la Educación
174	Integral. (Educación Inicial, Secretaría de Educación Pública, México, 2018.).
175	Pérez-Escamilla, R., Segura-Pérez, S., & Lott, M. (2017). On behalf of the RWJF HER Expert
176	Panel on Best Practices for Promoting Healthy Nutrition, Feeding Patterns, and Weight
177	Status for Infants and Toddlers from Birth to 24 Months. Feeding Guidelines for Infants
178	and Young Toddlers. Retrieved from https://healthyeatingresearch.org/wp-
179	content/uploads/2017/02/her_feeding_guidelines_report_021416-1.pdf
180	Redsell, S. A., Edmonds, B., Swift, J. A., Siriwardena, A. N., Weng, S., Nathan, D., &
181	Glazebrook, C. (2016). Systematic review of randomised controlled trials of interventions
182	that aim to reduce the risk, either directly or indirectly, of overweight and obesity in
183	infancy and early childhood. Matern Child Nutr, 12(1), 24-38. doi:10.1111/mcn.12184
184	Richter, L. M., Daelmans, B., Lombardi, J., Heymann, J., Boo, F. L., Behrman, J. R.,
185	Darmstadt, G. L. (2017). Investing in the foundation of sustainable development:
186	pathways to scale up for early childhood development. Lancet, 389(10064), 103-118.
187	doi:10.1016/s0140-6736(16)31698-1
188	Savage, J. S., Birch, L. L., Marini, M., Anzman-Frasca, S., & Paul, I. M. (2016). Effect of the
189	INSIGHT Responsive Parenting Intervention on Rapid Infant Weight Gain and
190	Overweight Status at Age 1 Year: A Randomized Clinical Trial. JAMA Pediatr, 170(8),
191	742-749. doi:10.1001/jamapediatrics.2016.0445
192	Silva Garcia, K., Power, T. G., Beck, A. D., Fisher, J. O., Goodell, L. S., Johnson, S. L.,
193	Hughes, S. O. (2018). Stability in the feeding practices and styles of low-income
194	mothers: questionnaire and observational analyses. Int J Behav Nutr Phys Act, 15(1), 28.
195	doi:10.1186/s12966-018-0656-6
196	Smith, J.A., Baker-Henningham, H., Brentani, A., Mugweni, R. and Walker, S.P., 2018.
197	Implementation of Reach Up early childhood parenting program: acceptability,
198	appropriateness, and feasibility in Brazil and Zimbabwe. Annals of the New York
199	Academy of Sciences, 1419(1), 120-140.
200	Spahn, J. M., Callahan, E. H., Spill, M. K., Wong, Y. P., Benjamin-Neelon, S. E., Birch, L.,
201	Casavale, K. O. (2019). Influence of maternal diet on flavor transfer to amniotic fluid and
202	breast milk and children's responses: a systematic review. Am J Clin Nutr,
203	109(Supplement_7), 1003s-1026s. doi:10.1093/ajcn/nqy240
204	Spill, M. K., Callahan, E. H., Shapiro, M. J., Spahn, J. M., Wong, Y. P., Benjamin-Neelon, S. E.,
205	Casavale, K. O. (2019a). Caregiver feeding practices and child weight outcomes: a
206	systematic review. Am J Clin Nutr, 109(Supplement_7), 990s-1002s.
207	doi:10.1093/ajcn/nqy276
208	Spill, M. K., Johns, K., Callahan, E. H., Shapiro, M. J., Wong, Y. P., Benjamin-Neelon, S. E.,
209	. Casavale, K. O. (2019b). Repeated exposure to food and food acceptability in infants

- and toddlers: a systematic review. Am J Clin Nutr, 109(Supplement_7), 978s-989s. 210
- 211 doi:10.1093/ajcn/nqy308
- UNICEF-Brazil. (2018). Os 10 passos para alimentação e hábitos saudáveis.pdf. 212
- Vazir, S., Engle, P., Balakrishna, N., Griffiths, P.L., Johnson, S.L., Creed-Kanashiro, H., 213
- Fernandez Rao, S., Shroff, M.R. and Bentley, M.E., 2013. Cluster-randomized trial on 214
- complementary and responsive feeding education to caregivers found improved dietary 215
- intake, growth and development among rural Indian toddlers. Maternal & child nutrition, 216 9(1), pp.99-117.
- 217
- WHO. (2012). *Care for Child Development: Improving the care of young children.* 218
- WHO, & UNICEF. (2003). Global Strategy for Infant and Young Child Feeding. Geneva: World 219 220 Health Organization.

221