

Central Lancashire Online Knowledge (CLoK)

Title	Large Fermi Surface of Heavy Electrons at the Border of Mott Insulating	
	State in NiS2	
Туре	Article	
URL	https://clok.uclan.ac.uk/14498/	
DOI	https://doi.org/10.1038/srep25335	
Date	2016	
Citation	Friedemann, S, Chang, H, Gamza, M, Reiss, P, Chen, X, Alireza, P, Coniglio, WA, Graf, D, Tozer, S et al (2016) Large Fermi Surface of Heavy Electrons at the Border of Mott Insulating State in NiS2. Scientific Reports, 6. p. 25335. ISSN 2045-2322	
Creators	Friedemann, S, Chang, H, Gamza, M, Reiss, P, Chen, X, Alireza, P, Coniglio, WA, Graf, D, Tozer, S and Grosche, FM	

It is advisable to refer to the publisher's version if you intend to cite from the work. https://doi.org/10.1038/srep25335

For information about Research at UCLan please go to http://www.uclan.ac.uk/research/

All outputs in CLoK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the <u>http://clok.uclan.ac.uk/policies/</u>

SCIENTIFIC REPORTS

Received: 11 February 2016 Accepted: 14 April 2016 Published: 12 May 2016

OPEN Large Fermi Surface of Heavy **Electrons at the Border of Mott** Insulating State in NiS₂

S. Friedemann^{1,*}, H. Chang^{2,*}, M. B. Gamża^{3,4}, P. Reiss², X. Chen², P. Alireza², W. A. Coniglio⁵, D. Graf⁵, S. Tozer⁵ & F. M. Grosche²

One early triumph of quantum physics is the explanation why some materials are metallic whereas others are insulating. While a treatment based on single electron states is correct for most materials this approach can fail spectacularly, when the electrostatic repulsion between electrons causes strong correlations. Not only can these favor new and subtle forms of matter, such as magnetism or superconductivity, they can even cause the electrons in a half-filled energy band to lock into position, producing a correlated, or Mott insulator. The transition into the Mott insulating state raises important fundamental questions. Foremost among these is the fate of the electronic Fermi surface and the associated charge carrier mass, as the Mott transition is approached. We report the first direct observation of the Fermi surface on the metallic side of a Mott insulating transition by high pressure quantum oscillatory measurements in NiS2. Our results point at a large Fermi surface consistent with Luttinger's theorem and a strongly enhanced quasiparticle effective mass. These two findings are in line with central tenets of the Brinkman-Rice picture of the correlated metal near the Mott insulating state and rule out alternative scenarios in which the carrier concentration vanishes continuously at the metalinsulator transition.

Prototypical Mott insulators such as V_2O_3 , NiS, NiO, and NiS₂ feature singly occupied d states with reduced orbital overlap and strong on-site Coulomb repulsion $U^{1,2}$. The electronic states which would make up a band straddling the chemical potential μ if U were zero, split at large U into a lower and upper Hubbard band, falling on either side of the chemical potential³. This gaps out charged excitations and produces an insulating ground state (as sketched in the inset of Fig. 1). The electronic spectrum can be tuned, for instance, by varying the lattice density and thereby the underlying electronic bandwidth W with applied pressure, making it possible to close the charge gap and metallize the Mott insulator. The resulting correlated metal displays a narrow peak in the density of states at the chemical potential^{4,5} which, within the Brinkman-Rice picture⁶, is associated with long-lived Fermi-liquid quasiparticles.

The transition from the metallic to the insulating state can be realized via a continuous suppression of the quasiparticle weight Z and, consequently, a divergence of the effective mass m^* . In many cases, however, this divergence may be cut off by a first order transition, as is indeed expected in more sophisticated treatments⁷, in particular, if the coupling to the lattice is included⁸. Either way, in the Brinkman-Rice picture the correlated metallic state near the metal-insulator transition (MIT) features an enhanced quasiparticle mass and a large Fermi surface, the volume of which is fixed by Luttinger's theorem⁹ as identical to that of the corresponding uncorrelated metal. This contrasts fundamentally with alternative scenarios, in which the charge carrier concentration is reduced on approaching the MIT, as might be expected, for instance, in the presence of density-wave order accompanied by Fermi surface reconstruction.

Despite the long history of the Brinkman-Rice picture of a MIT, there is surprisingly little direct experimental evidence for its key predictions - the large Fermi surface expected for half-filled bands and the enhanced effective mass on the threshold of the Mott state. This can be attributed in part to practical difficulties: accessing

¹HH Wills Laboratory, University of Bristol, Bristol, BS8 1TL, UK. ²Cavendish Laboratory, University of Cambridge, Cambridge, CB3 0HE, UK. ³Department of Physics, Royal Holloway, University of London, Egham TW20 0EX, UK. ⁴Jeremiah Horrocks Institute for Mathematics, Physics and Astronomy, University of Central Lancashire, Preston PR1 2HE, UK. ⁵National High Magnetic Field Laboratory, Tallahassee, FL 83810, USA. *These authors contributed equally to this work. Correspondence and requests for materials should be addressed to S.F. (email: Sven.Friedemann@ bristol.ac.uk) or F.M.G. (email: fmg12@cam.ac.uk)



Figure 1. Resistivity of NiS₂ under pressure. For pressures larger than 2.6 GPa, a rapid drop in the resistivity is observed at a temperature T_{MIT} , defined from the steepest slope. (Inset) Schematic representation of the formation of upper and lower Hubbard bands for large Coulomb interaction *U*, and of the emergence of a coherent quasiparticle peak at the chemical potential, when the bandwidth *W* is increased, for instance by tuning the lattice density under pressure³⁻⁵.

the threshold of the Mott state requires finely controlled metallization of a Mott insulator either by pressure or chemical substitution. Pressure precludes the use of angular resolved photoemission spectroscopy (ARPES), whereas the disorder associated with substitution seriously hinders high-resolution Fermi surface measurements by quantum oscillatory techniques. Quantum oscillation measurements have been adapted to high pressures in the past but are particularly demanding for MIT, because the supremely important quality of the sample can only be assessed in the metallic phase at high pressure, slowing down the screening process. ARPES, on the other hand, can suffer from complications arising from conducting surface states¹⁰ and requires exquisite energy resolution to disentangle coherent and incoherent contributions to the spectrum, to determine conclusively the shape of the Fermi surface in 3D, and to determine accurately the effective mass m^* .

Detailed quantum oscillation studies near a MIT have so far mostly been conducted in two material systems – the superconducting cuprates and the 2D organic charge transfer salts. In the cuprates, however, charge-density-wave reconstruction, superconductivity with high critical fields, and the pseudogap obscure direct access to the large Fermi surface expected to emerge from the doped Mott state¹¹. In 2D organic conductors quantum oscillation studies have been limited to samples which are already metallic at ambient pressure¹², preventing access to the close vicinity of the MIT.

Results

We study the 3D inorganic Mott insulator NiS₂, which is free from superconductivity and charge-density-wave reconstruction. NiS₂ can be tuned into the metallic state by hydrostatic pressure, enabling immediate access to the Fermi surface geometry and quasiparticle mass in close proximity to the MIT. We employ quantum oscillation measurements to focus on the coherent quasiparticle states which lie at the heart of the Brinkman-Rice framework. This approach contrasts with spectroscopic measurements on the Ni(S/Se)₂ composition series, which give important and comprehensive insight on the summed coherent and incoherent contributions to the spectral function as the MIT is crossed by chemical substitution^{13–16}. It complements recent ARPES results which are interpreted in terms of a progressive reduction of the Fermi velocity on approaching the MIT¹⁷, but by focusing on the coherent part of the spectrum, quantum oscillation measurements offer definitive and high resolution measurements of the Fermi surface and effective mass in a 3D material.

The pyrite NiS₂ has long been identified as a prototypical Mott insulator alongside NiS and NiO^{2,18–25}. The sulphur atoms in NiS₂ form dimers, yielding a valence of 2 for the Ni atoms like in NiO and NiS^{25,26}. The Ni *d* states are split by the Coulomb interaction into a lower and upper Hubbard band with band edges at -1 eV and 3.5 eV below and above the chemical potential, respectively²⁵. Sulphur dimers contribute an antibonding p_{σ}^* band 1 eV above the chemical potential. Under pressure, the sulphur dimers are rigid but the inter-dimer hopping increases, causing the p_{σ}^* band to broaden and eventually to connect with the lower Hubbard band, inducing metallization. Whereas megabar pressures are required to metallize NiO, rendering quantum oscillation measurements impossible with current techniques, the tunability of the sulfur dimer-derived bands in NiS₂ reduces the metallization pressure to about 3 GPa, where the key impediment to high pressure quantum oscillation measurements – pressure inhomogeneity caused by the pressure medium – is well understood and under control.

Sulphur vacancies are known to compromise crystal quality in NiS₂. Employing a Te-flux growth technique²⁷ we obtained crystals with ultra-low sulphur vacancy concentration (cf. Supplementary information I). Our high-quality single crystals of NiS₂ display clear insulating behavior at low pressure (Fig. 1). We observe the magnetic transition into the weak ferromagnetic state at $T_{WF} = 30$ K at ambient pressure in agreement with previous results²⁸ (cf. Supplementary information II).



Figure 2. High-pressure phase diagram of NiS₂. Solid circles and triangles represent the transition temperatures of the MIT and ferromagnetic order (cf. Supplementary information II) as extracted from resistivity, respectively. Open squares and triangles reflect the magnetic transition temperatures in the metallic and insulating state from Refs 30,28, respectively. Left inset shows the pyrite structure of NiS₂ with the sulphur dimers indicated. Right inset shows the evolution of room-temperature (red triangles) and low-temperature (blue triangles) resistivity.

The application of hydrostatic pressure in our liquid-medium patterned-anvil cell (cf. Materials and Methods) first yields very little change at low temperature T (Fig. 1). A drastic change is observed at a pressure of 3 GPa: Here, the low-temperature resistivity is reduced by many orders of magnitude, signaling the MIT. The steps in the resistivity curves when passing through the MIT may indicate that the volume contraction on metallization²⁹ of consecutive parts of the sample affects the stress acting on the remaining sample, in particular considering that the pressure medium is frozen at these temperatures. This can cause different parts of the sample to undergo the MIT at different temperatures, but pressure homogeneity is restored at low temperature, when the sample is fully metallic. The metallic state below the MIT temperature T_{MIT} is recognized from the positive slope of the resistivity and a shift of T_{MIT} to higher temperatures.

Based on the resistivity measurements we can construct the *T*-*p* phase diagram for our NiS₂ samples (Fig. 2). We find T_{WF} and T_{MIT} very similar to previous high pressure transport studies^{28,30}. The slightly higher pressure scale is attributed to the absence of sulphur vacancies in our samples (cf. Supplementary information I). We followed the MIT up to 4.3 GPa and 185 K. The transition becomes less distinct towards the critical end point of the first order MIT line at around 200 K³⁰. The antiferromagnetic transition is not reliably resolved in the temperature dependence of the resistivity, in accordance with previous reports studying both the insulating state as well as the metallic state^{30,31}.

The abrupt decrease of the residual resistivity by 6 orders of magnitude on crossing the MIT by applied pressure is highlighted in the inset of Fig. 2. This is followed by a further decrease of more than 2 orders of magnitude in the metallic phase. Importantly, with ρ_0 falling below 1 $\mu\Omega$ cm, high-resolution Fermi surface studies with quantum oscillation measurements become possible.

We measure quantum oscillations in the resistivity by a contactless tunnel-diode-oscillator (TDO) method for increased resolution and to circumvent difficulties associated with making contacts to the sample. A single crystal NiS₂ sample is placed inside the micro-coil mounted in the hole of a gasket between two opposing moissanite anvils³² (see Materials and Methods). Fig. 3(A) displays the quantum oscillation signal observed at a pressure of 3.8 GPa, where the residual resistivity is well below 1 μ Ω cm. We find clear oscillations at high fields beyond 25 T. The Fourier transform in Fig. 3(B) identifies the oscillation frequency to be 6 kT.

The temperature dependence of the quantum oscillation amplitude can be used to extract the quasiparticle mass. This is illustrated for two subsequent runs in Fig. 4. Best fits to the data yield effective masses of $m^* = 5(1) m_e$ and $m^* = 7(2) m_e$, respectively. Combining the two datasets we conclude the quasiparticle mass to be $m^* = 6(2) m_e$. Despite the uncertainty in m^* , our measurement provides high significance for the comparison with band structure calculations, to which we now turn.

The electronic structure of metallic NiS₂ has been calculated within the generalized gradient approximation, neglecting strong correlations. We use the simple cubic crystal lattice with lattice constants estimated for our crystals at 3.8 GPa (Supplementary information III). At the pressures studied, NiS₂ is suggested to be antiferromagnetic at low temperature³⁰. High pressure diffraction studies have so far not resolved the spin structure in metallic NiS₂^{29,33}, but neutron diffraction studies in the Ni(S/Se)₂ composition series (e.g. Ref. 34) suggest that the antiferromagnetic ordering wave vectors in the metallic state are (1 0 0) and its symmetry-related equivalents, as in ambient pressure, insulating NiS₂ at intermediate temperatures. In the latter case, a type 1 antiferromagnetic structure has been proposed³⁵, for which the magnetic unit cell is the same as the structural unit cell and no Fermi surface reconstruction would necessarily be expected. Our calculation predicts a metallic ground state, in good agreement with previously published local density approximation results^{25,36-38}. Modelling the insulating state



Figure 3. Quantum oscillations in the metallic phase of NiS₂. (A) We analyze the derivative dF/dH of the TDO frequency *F* with respect to field *H*. Numerical differentiation used locally fitted polynomials. A smooth background has been subtracted. Plotting against inverse magnetic field reveals the characteristic periodicity in 1/*H* of quantum oscillations. Data obtained from several sweeps with different sweep rates are averaged thus ruling out parasitic signals as a source of 1/*H* periodicity. (B) Power spectra of the Fourier transformed signal were obtained at several temperatures. The magnetic field was oriented along the crystallographic (100) direction within the cubic unit cell notation.

would require including onsite Coulomb repulsion in the spirit of the Mott-Hubbard model³⁹. Here, we compare the calculated metallic Fermi surface with our measurements in the metallic state at high pressure. The major Fermi surface sheets obtained in the band structure calculations are presented in Fig. 5: they consist of a large "Cube"-like pocket in the center of the Brillouin zone, a network connected along the edges of the Brillouin zone, and several closed pockets in the corner (only the biggest of which is presented in Fig. 5). From the predicted Fermi surface we can identify the most likely orbit to produce quantum oscillations: The small curvature on the "Cube" makes it a strong candidate. Indeed, the predicted frequency of 6.3 kT for the belly orbit (highlighted in Fig. 5) shows excellent agreement with the observed quantum oscillation frequency of 6 kT (cf. Table 1). In particular, it is the only orbit large enough to yield a frequency above 3 kT (cf. Supplementary information III).

Discussion

Our quantum oscillation results demonstrate unequivocally that the correlated metallic state on the threshold of Mott localization in NiS_2 is characterized by a large Fermi surface consistent with a high carrier concentration. This contrasts fundamentally with the proposal based on electrical transport measurements⁴⁰ that the carrier concentration and thereby the Fermi surface volume decreases continuously on approaching the MIT. This discrepancy may be attributed to phase separation into metallic and insulating domains near the MIT, which would make transport data an unreliable probe of the true metallic state as probed by quantum oscillation measurements.

Whereas the predicted and observed frequencies are in excellent agreement we find a strong deviation between the predicted and observed effective mass (Table 1). The strong mass enhancement by nearly one order of magnitude observed in high pressure NiS₂ can be attributed to the strong correlations expected within the Brinkman-Rice picture⁶. This mass enhancement should be accompanied by a similarly large enhancement of the Sommerfeld coefficient of the specific heat capacity γ over the band structure value. A roughly four-fold increase of γ has indeed been observed in the composition series Ni(S_{1-x}Se_x)₂ on approaching the Mott transition



Figure 4. Determination of the effective mass. The temperature dependence of the quantum oscillation amplitude (solid circles) is fitted with the Lifshitz-Kosevich form for two subsequent runs (solid red line). Vertical lines reflect standard errors estimated from background in the Fourier spectrum close to 6 kT (cf. Fig. 3).



Figure 5. Calculated Fermi surface. The Fermi surface was determined from band structure calculations using the lattice parameters and atomic positions as determined by our x-ray diffraction (see Supplementary information I). Besides the major sheets depicted here we find two small pockets in the Brillouin-zone corners. The solid red line on the first sheet represents its belly orbit.

NiS ₂	Calc.	Exp.
F(kT)	6.3	6.03
$m^*(m_{\rm e})$	0.8	6(2)

 Table 1. Comparison of band structure calculation and experiment. Frequency and effective mass calculated for the belly orbit of the "Cube" Fermi surface sheet are compared to those obtained from our QO measurements.

from the metallic side^{40,41}. The mass enhancement is consistent, also, with the narrow band features observed in ARPES studies of metallic members of the Ni($S_{1-x}Se_x$)₂ series¹³. Together with the cross-sectional area determined from the 6 kT orbit and assuming a spherical Fermi surface geometry, the measured mass corresponds to a Fermi velocity $v_F \sim 0.4 \text{ eV}$ Å/ħ, comparable to results from ARPES measurements at the corresponding doping of x = 0.5 (Ref. 17). It will be very interesting to follow the pressure dependence of the quasiparticle mass in further quantum oscillation measurements, which may reveal a further increase of *m*^{*} on approaching the MIT. The discontinuous volume contraction of the order of 1% observed on crossing the MIT at high pressure with temperature x-ray diffraction²⁹, suggests that the MIT itself is first order at low temperature, which may interrupt a mass divergence at a level not far above our measured *m*^{*}.

High quality crystals of NiS_2 have enabled a fresh look at the Mott transition in this prototypical material using a novel combination of high-pressure techniques. Our quantum oscillation measurements unambiguously show that coherent quasiparticles with a large Fermi surface and significant mass enhancement exist near the border of Mott localization in pressure metallized NiS_2 . These findings offer a direct view on the emergence of a heavy Fermi liquid on the metallic side of the Mott transition and motivate further, detailed high pressure quantum oscillation studies in NiS_2 and other Mott insulators.

Materials and Methods

Single crystals of NiS_2 were grown from Te-flux as described earlier²⁷. Sulphur occupation was determined from single-crystal x-ray diffraction as detailed in Supplementary information I and are found to be in very good agreement with estimates based on the temperature dependence of the resistivity²².

Resistivity studies were conducted in an alumina Bridgman anvil cell with patterned anvils⁴² with Flourinert as pressure transmitting medium. The superconducting transition temperature of a lead sample was used to determine the pressure at low temperatures.

Quantum oscillation measurements used the contactless tunnel-diode-oscillator (TDO) technique, which involves a parallel inductor-capacitor oscillator sustained by a tunnel diode. The inductor in the experimental setup was a five turn cylindrical coil with an inner diameter of 200µm wound with a 15µm insulated wire. For high pressure measurement, the coil is positioned in a 300µm diameter hole in a BeCu gasket mounted between the anvils of a Moissanite anvil pressure cell. An oriented single crystal sample of NiS₂ was placed in the coil. Changes in the sample resistivity in its metallic state are detected as proportional changes in the TDO resonance frequency.

A 4:1 mixture of methanol-ethanol was used as pressure transmitting medium for highly hydrostatic conditions. Sample pressure at low temperature was determined via ruby fluorescence. Quantum oscillation measurements were carried out at the NHMFL Tallahassee, with the TDO oscillating at ~250 MHz, in a top-loading ³He cryostat in magnetic fields up to 31 T.

Data availability: All data needed to evaluate the conclusions in the paper are present in the paper, the Supplementary Materials and the Data repository at the University of Cambridge and can be download from https://www.repository.cam.ac.uk/handle/1810/255127. Additional data related to this paper may be requested from the authors.

References

- 1. Mott, N. F. The Basis of the Electron Theory of Metals, with Special Reference to the Transition Metals. *Proc. Phys. Soc. Sect. A* 62, 416–422 (1949).
- 2. Imada, M., Fujimori, A. & Tokura, Y. Metal-insulator transitions. *Rev. Mod. Phys.* 70, 1039–1263 (1998).
- 3. Hubbard, J. Electron Correlations in Narrow Energy Bands. Proc. R. Soc. A Math. Phys. Eng. Sci. 276, 238–257 (1963).
- Fujimori, A. *et al.* Evolution of the spectral function in Mott-Hubbard systems with d¹ configuration. *Phys. Rev. Lett.* 69, 1796–1799 (1992).
- 5. Georges, A. & Kotliar, G. Hubbard model in infinite dimensions. Phys. Rev. B 45, 6479-6483 (1992).
- Brinkman, W. F. & Rice, T. M. Application of Gutzwiller's Variational Method to the Metal-Insulator Transition. Phys. Rev. B 2, 4302–4304 (1970).
- Georges, A., Krauth, W. & Rozenberg, M. J. Dynamical mean-field theory of strongly correlated fermion systems and the limit of infinite dimensions. *Rev. Mod. Phys.* 68, 13–125 (1996).
- 8. Majumdar, P. & Krishnamurthy, H. R. Lattice Contraction Driven Insulator-Metal Transition in the $d = \infty$ Local Approximation. *Phys. Rev. Lett.* **73**, 1525–1528 (1994).
- 9. Luttinger, J. Fermi Surface and Some Simple Equilibrium Properties of a System of Interacting Fermions. *Phys. Rev.* **119**, 1153–1163 (1960).
- 10. Sarma, D. D. et al. Metal-insulator crossover behavior at the surface of NiS₂. Phys. Rev. B 67, 155112 (2003).
- Doiron-Leyraud, N. *et al.* Quantum oscillations and the Fermi surface in an underdoped high-T_c superconductor. *Nature* 447, 565–568 (2007).
- 12. Caulfield, J. *et al.* Magnetotransport studies of the organic superconductor k-(BEDT-TTF)₂ Cu(NCS)₂ under pressure: the relationship between carrier effective mass and critical temperature. J. Phys. Condens. Matter 6, 2911–2924 (1994).
- 13. Matsuura, A. et al. Electronic structure and the metal-insulator transition in NiS_{2-x}Se_x. Phys. Rev. B 53, R7584–R7587 (1996).
- 14. Matsuura, A. Y. *et al.* Metal-insulator transition in NiS_{2-x}Se_x and the local impurity self-consistent approximation model. *Phys. Rev. B* 58, 3690–3696 (1998).
- 15. Fujimori, A. et al. Resonant photoemission study of pyrite-type NiS2, CoS2 and FeS2. Phys. Rev. B 54, 16329-16332 (1996).
- 16. Mamiya, K. et al. Photoemission study of the metal-insulator transition in NiS_{2-x}Se_x. Phys. Rev. B 58, 9611–9614 (1998).
- 17. Xu, H. C. *et al.* Direct Observation of the Bandwidth Control Mott Transition in the NiS_{2-x}Se_x Multiband System. *Phys. Rev. Lett.* **112**, 087603 (2014).
- 18. Wilson, J. A. The Mott transition for binary compounds. The metallic and nonmetallic states of matter (Taylor & Francis, 1985).
- Honig, J. M. & Spalek, J. Electronic Properties of NiS_{2-x}Se_x Single Crystals: From Magnetic Mott-Hubbard Insulators to Normal Metals. *Chem. Mater.* 10, 2910–2929 (1998).
- 20. Wilson, J. A. & Pitt, G. D. Metal-insulator transition in NiS₂. Philos. Mag. 23, 1297-1310 (1971).
- 21. Miyadai, T. et al. Neutron Diffraction Study of NiS2 with Pyrite Structure. J. Phys. Soc. Japan 38, 115-121 (1975).
- Krill, G. et al. Electronic and magnetic properties of the pyrite-structure compound NiS₂: influence of vacancies and copper impurities. J. Phys. C Solid State Phys. 9, 761–782 (1976).
- 23. Bullett, D. W. Electronic structure of 3d pyrite- and marcasite-type sulphides. J. Phys. C Solid State Phys. 15, 6163–6174 (1982).
- 24. Kautz, R., Dresselhaus, M., Adler, D. & Linz, A. Electrical and Optical Properties of NiS₂. Phys. Rev. B 6, 2078–2082 (1972).
- 25. Kuneš, J. *et al.* Metal-insulator transition in NiS_{2-x}Se_x. *Phys. Rev. B* **81**, 035122 (2010).
- 26. Kawai, N. & Mochizuki, S. Insulator-metal transition in NiO. Solid State Commun. 9, 1393–1395 (1971).
- Yao, X. & Honig, J. M. Growth of nickel dichalcogenides crystals with pyrite structure from tellurium melts [NiS₂, NiS_{2-x}Se_x (x<=0.7)]. Mater. Res. Bull. 29, 709–716 (1994).
- Mori, N. & Watanabe, T. Pressure effects on the magnetic transition temperatures of NiS₂. Solid State Commun. 27, 567–569 (1978).
 Feng, Y., Jaramillo, R., Banerjee, A., Honig, J. M. & Rosenbaum, T. F. Magnetism, structure, and charge correlation at a pressure-
- induced Mott-Hubbard insulator-metal transition. *Phys. Rev. B* 83, 35106 (2011).
 30. Takeshita, N. *et al.* Quantum criticality and disorder in the antiferromagnetic critical point of NiS₂ pyrite. *arXiv:0704.0591v1 [cond-mat.str-ell* (2007).
- 31. Clark, C. & Friedemann, S. Atomic Diffusion in the Surface State of Mott Insulator NiS2. J. Magn. Magn. Mater. 400, 56-61 (2015).
- 2. Alireza, P. L. & Julian, S. R. Susceptibility measurements at high pressures using a microcoil system in an anvil cell. *Rev. Sci. Instrum.* 74, 4728–4731 (2003).
- 33. Panissod, P., Krill, G., Vettier, C. & Madar, R. Antiferromagnetic metallic state of NiS2. Solid State Commun. 29, 67-70 (1979).

- Miyadai, T., Sudo, S., Tazuke, Y., Mori, N. & Miyako, Y. Magnetic properties of pyrite type NiS_{2-x}Se_x. J. Magn. Magn. Mater. 31-34, 337–338 (1983).
- Kikuchi, K., Miyadai, T., Fukui, T., Itô, H. & Takizawa, K. Spin Structure and Magnetic Properties of NiS₂. J. Phys. Soc. Japan 44, 410–415 (1978).
- 36. Schuster, C., Gatti, M. & Rubio, A. Electronic and magnetic properties of NiS₂, NiSSe and NiSe₂ by a combination of theoretical methods. *Eur. Phys. J. B* **85**, 325 (2012).
- Raybaud, P., Hafner, J., Kresse, G. & Toulhoat, H. Ab initio density functional studies of transition-metal sulphides: II. Electronic structure. J. Phys. Condens. Matter 9, 11107–11140 (1997).
- 38. Temmerman, W. M., Durham, P. J. & Vaughan, D. J. The electronic structures of the pyrite-type disulphides (MS₂, where M = Mn, Fe, Co, Ni, Cu, Zn) and the bulk properties of pyrite from local density approximation (LDA) band structure calculations. *Phys. Chem. Miner.* 20, 248–254 (1993).
- 39. Zaanen, J., Sawatzky, G. & Allen, J. Band gaps and electronic structure of transition-metal compounds. *Phys. Rev. Lett.* 55, 418–421 (1985).
- Miyasaka, S. *et al.* Metal-Insulator Transition and Itinerant Antiferromagnetism in NiS_{2-x}Se_x Pyrite. J. Phys. Soc. Japan 69, 3166–3169 (2000).
- 41. Sudo, S. Metal-insulator transition and magnetic properties in the NiS_{2-x}Se_x system. *J. Magn. Magn. Mater.* **114**, 57–69 (1992).
- 42. Welzel, O. P. & Grosche, F. M. Patterned anvils for high pressure measurements at low temperature. *Rev. Sci. Instrum.* 82, 033901 (2011).

Acknowledgements

The authors would like to thank G Lonzarich for fruitful discussions. This work is supported by the EPSRC through grant EP/K012894/1. SF acknowledges support by the ERC and the Alexander von Humboldt foundation. PR acknowledges funding from the Cusanuswerk and the EPSRC. A portion of this work was performed at the National High Magnetic Field Laboratory, which is supported by NSF DMR-1157490 and the State of Florida. SWT, WAC, and DEG were supported in part by DOE NNSA SSAA DE-NA0001979.

Author Contributions

Single crystals were grown and characterized by S.F. and M.B.G. High-Pressure resistivity measurements were conducted by S.F. High-Pressure quantum oscillations studies with the TDO were developed by H.C., W.A.C. and F.M.G. and carried out with S.F., P.R., X.C., D.G. and S.T. High pressure methods were supported by P.A. The manuscript was prepared by S.F. and F.M.G. with the help of H.C.

Additional Information

Supplementary information accompanies this paper at http://www.nature.com/srep

Competing financial interests: The authors declare no competing financial interests.

How to cite this article: Friedemann, S. *et al.* Large Fermi Surface of Heavy Electrons at the Border of Mott Insulating State in NiS₂. *Sci. Rep.* **6**, 25335; doi: 10.1038/srep25335 (2016).

This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/